



Philip D. Murphy
Governor

Sheila Y. Oliver
Lt. Governor

Aida Camacho-Welch
Secretary of the Board
Tel. # (609) 292-1599

STATE OF NEW JERSEY
Board of Public Utilities
44 South Clinton Avenue, 3rd Floor, Suite 314
Post Office Box 350
Trenton, New Jersey 08625-0350
www.nj.gov/bpu/

NOTICE¹

**In the Matter of the Re-adoption by Notice of New Jersey Administrative Code
("N.J.A.C.") 14:2 "Protection of Underground Facilities: One Call Damage
Prevention System" - Docket No. AX18020155**

Notice to submit additional comments

The Staff of the Board of Public Utilities (BPU) invites all interested parties and members of the public to comment on the re-adoption of the BPU's regulations pertaining to underground facilities: One-Call damage prevention system, as outlined in N.J.A.C. 14:2.

Staff is charged with working alongside stakeholders to review and propose changes to the rules outlined in Chapter 2. As part of this process, a number of issues will be analyzed, including, but not limited to, operator responsibilities, excavator responsibilities, and other best practices that will help protect underground facilities and promote safety in our community. Staff has held several public workgroups over the past few months to discuss different aspects of the rules.

Please submit any additional comments related to the re-adoption of N.J.A.C. 14:2 to BPU.ONECALL@BPU.NJ.GOV. Written comments are invited and must be submitted to Aida Camacho-Welch, Secretary, New Jersey Board of Public Utilities, 44 South Clinton Avenue, 3rd Floor, Suite 314, CN 350, Trenton, New Jersey 08625. Written comments must be received by 5 p.m. on December 31, 2018.

Questions should be directed to Phil Galka in the Division of Reliability and Security via email at BPU.ONECALL@BPU.NJ.GOV.

A handwritten signature in blue ink that reads "Aida Camacho-Welch".

Aida Camacho-Welch
Secretary of the Board

Dated: November 26, 2018

¹Not a paid legal advertisement.